


MAXIMATOR®

maximum pressure

Technical Data Sheet



M189 (L)
single acting, single air drive head
(Standard= Bottom inlet)

M189 (L)

» Oil service

M189 (L) VE

» Water service

Technical Data:

| | |
|------------------------------------|------------------------------------|
| Air drive pressure: | 1 - 10 bar / 14.5 - 145 psi |
| Calculated working pressure: | 2200 bar / 31900 psi |
| Pressure ratio: | 1:220 |
| Displacement volume/double stroke: | 0.6 cm ³ / 0.04 cu.inch |

Connections:

| | |
|--------------------------------|---------------------------------|
| Inlet: | Standard: Bottom Inlet 3/8" BSP |
| Outlet: | 3/8" BSP |
| Air drive: | 3/8" BSP |
| Maximum operating temperature: | 60°C |
| Net weight: | 2.8 kg |

Pressure and flow performances, please see enclosed graph.

Wetted materials of construction:

| | |
|---------------|---|
| Seal package: | M189(L): Polyurethane M189(L)VE: UHMWPE, FKM |
| Pump Body: | 1.4313 |
| Piston: | 1.4112 |
| Fittings: | 1.4542 |

Approximate Dimensions:

| | |
|----|--------|
| A: | 202 mm |
| B: | 102 mm |
| C: | 120 mm |

Available Options:

| | |
|--|---|
| Seal material for oil service: | M189(L) |
| Seal material for water service: | M189(L)VE |
| Side inlet: | M189(L)S/ M189(L)VES |
| Hand lever/ Spring return: | M189-HL (only available with seal package Polyurethane, NBR) |
| External pilot port modification: | M189(L)-DIR |
| Special inlet and outlet ports, i.e. NPT: | M189(L)-NPT M189(L)VE-NPT |
| Special seal material to handle special fluids on request. | |

Available Accessories:

| | |
|---|--|
| Air control units for M series with filter pressure regulator, control pressure gauge and shut off valve: | M189(L) with C1 |
| To protect the pump against excessive outlet pressures or to limit the outlet pressure, a safety valve can be fitted to the air control unit in the air drive line. | M189(L) with C1/SV-air (The required outlet pressure has to be indicated.) |

Please consult factory for more information. All technical and dimensional information subject to change. All General Terms and Conditions of sale, including limitations of our liability, apply to all products and services sold.

Leistungsdiagramm/Performance Graph M(O) 189

Prüfflüssigkeit/Test Liquid: Wasser-Öl-Emulsion/Water Oil Emulsion ca. 1 - 10 cst

